

**MONROE CROSSINGS HOMEOWNERS ASSOCIATION
ARCHITECTURAL IMPROVEMENT/MODIFICATION PLAN APPLICATION**

Plan applications are modified from time to time. Please contact the office to check if you have the most up to date plan application before submitting for review.

Name _____ Date _____
Address _____ Phone _____
Lot# (if available) _____ Email _____

All plan proposals will be reviewed in accordance with the Monroe Crossings Homeowners Association Architectural Restrictions and Design and Development Guidelines & the Declaration of Covenants, Restrictions and Reservation of Easements. After all required information is received, your proposal will be submitted for review and an answer will be provided within 30 days.

You must provide all necessary information before your proposal will be submitted for review. Requests must include, without limitation, the following information: site plan (including all dimensions), color chips (if applicable), list of materials (if applicable), pictures, and any other information as specifically required below.

You may view the Monroe Crossings HOA, Inc. Declaration of Covenants and Architectural Guidelines under the HOA tab at www.monroecrossings.com.

You may obtain a site/plot plan by contacting the City of Monroe at (513) 539-7374, ext. 1022.

If you have any HOA questions, please contact Tina Jackson @ (513) 887-6031.

FENCING – No perimeter privacy fences or chain link fences are permitted. No fencing in excess of six (6) feet in height will be permitted. Please review the Declaration of Covenants, Article IX, 9.2.15 and the Architectural Guidelines, pg. 7, for specifications. Fences may be erected in rear yard only. Decorative fencing will be reviewed upon an individual basis considering the visual impact on surrounding lots. The Declarant and the Association Board/Committee reserve the right to restrict fencing in areas where its presence would adversely impact the aesthetics of the community (example; corner lots). **Fence must be finished side out (City of Monroe).**

- _____ Picture or drawing of fence type
- _____ Fence height
- _____ Dimensions
- _____ Stain/color
- _____ Site plan denoting location of fence, gate(s) and dimensions and distance from all property lines.
- _____ Confirm placement at rear elevation (rear corners of the house)
- _____ Materials

PRIVACY FENCING/SCREENING PANELS – Only permitted around approved in-ground pools, rear patios, spas and to conceal the appearance of trashcans. Please review the Declaration of Covenants, Article IX, 9.2.15 and the Architectural Guidelines, pg. 7. Trashcan screening must be located on the side against the house, between the mid and back portion of the house (front corner installation will require a corner landscaping plan). Trashcan screening structures must be at least 3' from the side property line, no more than 8' in side length, and no more than 13' total (if enclosing structure with 3 sides). All fencing/screening panels must be quality vinyl or treated lumber, and subdued in color to blend with the house. No fence/screening panels can exceed 6' in height. The Declarant and the Association reserve the right to restrict fencing/screening panels in areas where its presence would adversely impact the aesthetics of the community.

- _____ Picture of fence/panel type
- _____ Fence/panel height
- _____ Dimensions
- _____ Materials (lattice panels not acceptable)
- _____ Stain/color
- _____ Dwelling unit trim/siding color
- _____ Site plan denoting location
- _____ Distance from side property line, if applicable.
- _____ Landscape plan, if applicable.

IN-GROUND POOL – No above ground swimming pools are permitted. Please review the Declaration of Covenants, Article IX, 9.2.17 and the Architectural Guidelines, pgs. 4 & 7, for specifications. In ground pools may only be placed in rear yard, at least 10' from any property line, and does not unreasonably hinder the flow of surface water on the lot. Pool equipment shall be placed in a location approved by Declarant and screened in such a manner so as to provide minimum visual impact from the street and other lots.

- _____ Picture of pool style and expected appearance
- _____ Dimensions/size
- _____ Site plan denoting location of pool and distances from the property lines
- _____ Slab/decking dimensions
- _____ Materials
- _____ Fencing around pool (if applicable) will be reviewed on an individual basis. Must provide picture, dimensions, materials, color, and site plan denoting location.
- _____ Pool equipment location

POOL PUMP BUILDING – Pool pump buildings shall be permitted as an accessory to an approved in-ground pool. Such structures do not exceed 120 sq. ft. in size and must be constructed with shingles and siding to match the dwelling unit. No structure may be located within 10' of the lot lines. Storage sheds, outbuildings, storage buildings, are not permitted. (Architectural Guidelines pg. 6)

- _____ Picture of pool pump building and dwelling unit
- _____ Dimensions/size
- _____ Site plan denoting location
- _____ Materials
- _____ Shingle color (pump building & dwelling unit)
- _____ Siding color (pump building & dwelling unit)

HOT TUBS/SPAS – All hot tubs & spas must be in-ground or if above ground incorporated into a deck with enclosed sides. Please review the Declaration of Covenants, Article IX, 9.2.17 and the Architectural Guidelines, pg. 7, for specifications. All hot tubs & spas must be screened with a privacy fence in accordance with the Design Guidelines.

- _____ Picture
- _____ Dimensions
- _____ Site plan or drawing denoting location (rear yard only)
- _____ Fencing/screening – Must provide picture, dimensions, color, plan denoting location
- _____ Materials

PORCHES, APPENDAGES & ADDITIONS – No porches, appendages, or additions shall be permitted unless they are of a size, style, color and type compatible with the original design of the house & match the house material exactly and coloring exactly (Architectural Guidelines pg. 3). Porches, appendages or additions must be integrated into the design of the house. Compatibility shall be at the discretion of the Declarant or the Architectural Review Committee.

- _____ Site plan denoting location
- _____ Dimensions
- _____ Color
- _____ Materials
- _____ Shingle color, if applicable
- _____ Dwelling unit siding material & color, if applicable
- _____ Dwelling unit shingle color, if applicable

NOTE: Deck bottom enclosures will be considered provided the enclosure does not exceed 5' from grade to the highest point of the decking, does not have more than 2 doors (one on each side up against the house) and a landscape plan to go around it. If this is part of your plan, please provide the following information:

- _____ Material
- _____ Height from grade to top of decking
- _____ Color
- _____ Door/access location(s)
- _____ Landscape plan

AWNINGS – No metal or plastic awnings for windows, doors, decks or patios may be erected or used. Canvas awnings may be used subject to prior approval of size, color, location and manner of installation for the particular lot in question (Architectural Guidelines pg. 3).

- _____ Material
- _____ Awning size
- _____ Awning color
- _____ Site plan/sketch denoting the location
- _____ House color
- _____ Picture of awning

SWING SETS/PLAY EQUIPMENT/TRAMPOLINES – No metal swing sets are permitted.

Please review the Declaration of Covenants Article, IX, 9.2.18, and the Architectural Guidelines pgs. 4 & 5 for specifications.

Swings/Play Sets - Base area of swing/play set equipment shall be confined to a rectangular area of 300 sq. ft. or less and shall not exceed 12' in height. ***Trampolines** - may be prohibited on certain lots where the structure would be visible from the street. Landscaping may be required. Note: Structures shall be a minimum of 15' from any property line on regular lots. On corner lots the structure shall be a minimum of 15' from any property line and 15' behind the building line on the street side of the lot. In all other cases, the structure shall be a minimum of 20' behind the house. The Declarant may require as a part of an approval the placement of evergreen trees or other screening, especially on corner lots.

- _____ Picture of swings/playset/trampoline
- _____ Site plan denoting location
- _____ Dimensions (including base area)
- _____ Distance from all property lines and rear of house
- _____ List of materials
- _____ Color (natural wood or stained an earth tone color only)
- _____ Anchoring, if applicable

BASKETBALL HOOP – No permanent basketball goal may be placed on any lot, regardless of location, until its specifications and location have been approved in accordance with the guidelines specified in the Architectural Guidelines pgs. 6 & 7.

- _____ Picture and specifications of basketball goal/goal system from the manufacturer (backboard must be clear).
- _____ Dimensions (to include height/height adjustment mechanism)
- _____ Site plan or sketch/drawing denoting location, relative to applicant's home, driveway, sidewalk, side yard, and distances from these property/setback lines.
- _____ List of materials
- _____ Method of installation and base features to aid in stabilizing goal once installed.
- _____ Color
- _____ Exterior lighting, if applicable (see below)

EXTERIOR LIGHTING – Plans showing sufficient detail as to size, wattage, and type of bulb to be used in the exterior lighting must be submitted to the Committee prior to installation. Exterior lighting must be directed in such a manner so as not to intrude into neighboring lots and houses (Architectural Guidelines pg. 9)

- _____ Site plan/ sketch denoting the location
- _____ Fixture size
- _____ Wattage
- _____ Lumens (per bulb)
- _____ Bulb type (standard, led, etc.)
- _____ Bulb color (white, soft white, etc.)
- _____ Number of bulbs per fixture

STRUCTURES (MISCELLANEOUS) – The Declarant shall review the plans as to the quality of workmanship and design and harmony of external structures with existing structures and as to location in relation to surrounding structures, topography and finish grade elevation. The Declarant shall not unreasonably withhold approval of any plans that conform in every way with the Declaration and with the general character of the development on neighboring Lots within the Property (Covenants 9.2.1). Depending on the structure, it may be required to be a minimum of 15 feet from any property line on regular lots. On corner lots the structure shall be a minimum of 15 feet from any property and 15 feet behind the building line on the street side of the lot. In all other cases, the structure shall be a minimum of 20 feet behind the house.

- _____ Picture
- _____ Material
- _____ Site plan or sketch/drawing denoting location, relative to applicant’s home and distances from the property/setback lines.
- _____ Structure dimensions (to include height)
- _____ Method of installation and features to aid in stabilizing once installed.
- _____ Color

CONCRETE, PAVERS, RETAINING WALL ADDITION – You must submit a detailed description along with supporting documents.

- _____ Picture
- _____ Dimensions
- _____ Site plan or sketch/drawing denoting location.
- _____ Material
- _____ If using pavers, please indicate if they are permeable or not permeable.
- _____ Distances from the property/setback lines, if applicable.
- _____ Drainage, if applicable.
- _____ Anchoring, if applicable.

OTHER REQUEST – You must submit a detailed description along with supporting documents such as picture, dimensions, site plan denoting location, material, and anchoring, if applicable.

Conditions applicable to this approval request:

1. I/We assume full responsibility for locating the lot lines of the property to establish accurate location for placement of fencing or any other improvement/structure. I/We understand that any approval received from the Monroe Crossings HOA for installation of fencing does **not** include permission/authorization to adjoin (tie-in) to adjacent fencing of neighbors, and therefore I/we accept full responsibility to obtain permission from owner(s) of said fencing, if applicable.

2. I/We understand that by erecting fencing or any improvement/structure within an easement (utility and/or drainage, etc.); I/we assume risk and full responsibility of any loss that may occur as a result of its placement within said easement. I/We agree to keep easement maintained, free of trash, debris, and yard waste.
3. I/We agree to keep any improvement/structure properly maintained at all times. I/We agree to place trampoline within the required specifications, place where least visible from the street, and secure in the ground to avoid any movement during inclement weather, if applicable.
4. I/We agree to obtain any necessary permit(s) and comply with all requirements of any governing authorities, such as city and/or county (**City of Monroe: (513) 539-7374**). I/we understand the Declarant and Association Board/Committee may require evidence of approval by the City of Monroe before a final decision is made.
5. I/We have read and understand the Declaration of Covenants, Restrictions and Reservation of Easements, Article IV, 4.2.2 (Drainage) and Article V (Surface Water Management).
6. I/We understand that no construction or exterior alterations shall commence without written approval. I/we may be required to return the property to its former condition at my/our own expense if this request is disapproved wholly or in part, and that I/we may be required to pay any legal expenses incurred.
7. I/We understand that the Declarant or authorized Board Member is permitted to enter upon my property at any reasonable time for the purpose of evaluating the proposed project, and inspecting the ongoing and/or completed project, and that such entry does not constitute trespass.
8. I/We understand if my/our property has easement(s), it may be necessary to contact the following agencies before beginning my/our project.
9. I/We assume full responsibility for any damage done to the sidewalk, street, curb, common areas during any construction on my/our property.

Utility: OUPS (Ohio Utilities Protection Service - 1-800-362-2764
BP Pipeline - (513) 825-5250 ext. 17 (Kim Miller)

Drainage: BCEO - Eric Pottenger – (513) 785-4121
Public Works (City) – (513) 727-8953

I have read and understand the above information/conditions and assume all responsibilities.

Owner Signature

Date

Owner Signature

Date

Please submit **ALL PAGES** of this application & all required documents to one of the following:
6515 Winford Ave.-Ste A, Hamilton, OH 45011, email: monroecrossingshoa@gmail.com, or fax:
(513) 887-2848.

Approved: _____ **Disapproved:** _____